




## LUCID LED Transparent Display


The perfect solution for glass wall LED screen

The LUCID Series is a premium indoor solution designed to transform standard windows into high-impact digital displays without sacrificing natural light. Engineered with a minimalist frame architecture, it offers industry-leading transparency, making it the ideal choice for retail storefronts, luxury showrooms.

Best for glass storefronts, showrooms, and building facades where you want video content without blocking visibility. [Transparent LED](#) maintains a premium “open” look while delivering bright, high-impact visuals.



[Get Free Quote](#)



### Product Parameter

Part No.	L3	L3-Pro
Pixel Pitch	3.91/7.8mm	3.91/7.8mm
Pixel Density/m <sup>2</sup>	32,768	32,768
LED Configuration	SMD2121	SMD1921
Brightness	800nits	4,200nits
Transparency Rate	60%	60%
Power Consumption/m <sup>2</sup>	Max/Avg 600w/150w	Max/Avg 600w/150w
Module Dimension	19.69'' x 2.46'' or 500mm x 62.5mm	19.69'' x 2.46'' or 500mm x 62.5mm

Module Resolution	128 x 8	128 x 8
Panel Dimension	39.37'' x 39.37'' or 1000mm x 1000mm	39.37'' x 39.37'' or 1000mm x 1000mm
Panel Resolution	256 x 128	256 x 128
Panel Weight	15kg	15kg
Refresh Rate	3,840Hz	3,840Hz
Viewing Angle	160°/160°	160°/160°
IP Rate	IP31 / IP 31	IP43 / IP 43
Input Voltage(AC)	110V / 240V, 50/60 HZ	110V / 240V, 50/60 HZ
Operating Temperature	-20° ~ 60 °	-20° ~ 60 °
Grayscale(bit)	14	14
Lifespan(hrs)	>100,000(hrs)	>100,000(hrs)
Service Access	Rear	Rear

\*All specifications subject to change without notice. other pixel pitches available.